

Western New York Collaborative Prenatal Management Guidelines

Event	Preconception Visit	Initial Visit <i>(visit should occur <13 weeks)</i>	Subsequent Visits 0-28 Weeks <i>(visits should occur every 4 weeks)</i>	29-36 Weeks <i>(visits should occur every 2-3 weeks)</i>	37+ Weeks <i>(visits should occur weekly)</i>	Post Partum Visits <i>(21-56 days after delivery)</i>
History & Physical	Risk profile including hx of previous spontaneous preterm delivery Risk assessment for lead exposure Ht/Wt (BMI) Blood pressure Breast and pelvic exam Breast and pelvic exam Immunization status Family/OB/menstrual/medical/surgical/psychiatric/psychosocial/genetic (maternal and paternal) history	Risk profile including hx of previous spontaneous preterm delivery Risk assessment for lead exposure Ht/Wt (BMI) Blood pressure Breast and pelvic exam Immunization status Family/OB/menstrual/medical/surgical/psychiatric/psychosocial/genetic (maternal and paternal) history Oral Health Estimated date of delivery	Risk profile including hx of previous spontaneous preterm delivery Weight Blood pressure Fundal height Fetal heart rate/tones	Risk profile including hx of previous spontaneous preterm delivery Weight Blood pressure Fundal height Fetal heart rate/tones	Risk profile including hx of previous spontaneous preterm delivery Weight Blood pressure Fundal height Fetal heart rate/tones Confirm fetal position/presentation Check cervix	Uterine involution Delivery history Weight Blood pressure Pelvic exam Breast exam
Diagnostic Procedures	Screening for: Rubella, Varicella, PPD, Hepatitis B, TSH, HIV as indicated: Genetic screening Chlamydia/Gonorrhea Pap Smear Lead U/A; C & S Chlamydia	U/A; C&S Chlamydia Screening for: Rubella Varicella Hepatitis B RPR/VDRL *HIV testing CBC ABO/D(Rh)/Ab	As Indicated: Pap Smear U/S Sickle Cell Hgb Electrophoresis Genetic screening Lead screening PPD Gonorrhea TSH HPV GTT	U/S (18-20 weeks) GTT (24-28 weeks) Genetic screening As Indicated: Urine dipstick CBC VDRL GC/Chlam U/S RPR/VDRL (28 weeks) D (Rh) antibody screen Genetic testing: NT, MSAFP, triple screen, quad screen, Amnio, CVS Pap Smear	GBS (35-37 weeks) As Indicated: Urine dipstick CBC VDRL GC/Chlam U/S Pap Smear *Repeat HIV testing (34-36 weeks and/or at least three months after initial testing)	*At Delivery: expedited testing of pregnant women who present for delivery without documentation of a negative HIV test (at initial visit or 3rd Trimester testing) As Indicated: Urine dipstick NST BPP CST
Counseling & Education	Nutrition & Weight, Exercise, Folic Acid, nutritional supplements Sexual practices Family planning/pregnancy spacing Medication use Nicotine cessation/smoking Effects of medical and infectious diseases, teratogens, lead exposure, genetics and behavior on future pregnancies Behavioral Health Issues: Psychosocial (substance abuse — alcohol, tobacco, recreational and illicit drugs, mental health, domestic violence) Depression Assessment PHQ2/ PHQ9 ***SBIRT	Nutrition & Weight, Exercise Folic acid, nutritional supplements Lifestyle Warning signs Fetal growth & development Physiology of pregnancy Laboratory studies and their indications Medication use Risk Factors Anticipated schedule of visits Smoking cessation Body mechanics *HIV pre-test counseling Oral Health Prevent/eliminate lead exposure Seat belt use Behavioral Health Issues: Psychosocial (as indicated) Depression Assessment PHQ2/PHQ9 ***SBIRT	Nutrition & Weight, Exercise Quickening Lifestyle Work hazards Warning signs Fetal growth & development Physiology of pregnancy Preterm Labor S/S Childbirth classes Family issues Travel Breast/bottle feeding *HIV posttest counseling Smoking cessation Behavioral Health Issues: Psychosocial (as indicated) Depression assessment PHQ2/PHQ9 As Indicated: Rhogam Genetic counseling ***SBIRT as appropriate	Fetal kick counts/movement Exercise Warning signs Fetal growth & development Physiology of pregnancy Preterm Labor S/S VBAC/TOLAC counseling Work Hazards Family Planning Pre-registration Sexuality Breast/bottle feeding Birthing options Parenting Abnormal lab values Smoking cessation Episiotomy Labor & delivery issues Selecting a pediatrician Behavioral Health Issues: Psychosocial (as indicated) ***SBIRT as appropriate	Fetal kick counts/movement Late pregnancy symptoms S/S of labor Post term counseling Review postpartum F/U Family planning/birth spacing Postpartum vaccinations L & D update Anesthesia/Analgesia Breast/bottle feeding VBAC/TOLAC counseling Newborn education (newborn screening, jaundice, SIDS safe sleeping position, car seat, Infant CPR, circumcision) Confirmation of coordination with Pediatrician Smoking cessation FMLA/Disability forms Behavioral Health Issues: Psychosocial (as indicated) Depression PHQ2/PHQ9 /EPDS ***SBIRT as appropriate	Family planning/birth spacing Diet and exercise Feeding methods Nicotine/smoking cessation Parenting Lead prevention Behavioral Health Issues: Psychosocial (as indicated) (substance abuse, mental health, domestic violence) Postpartum Depression Edinburgh Postnatal Depression Scale (EPDS) Follow-up with PCP regarding chronic medical conditions ***SBIRT as appropriate
Immunization & Chemoprophylaxis	As Indicated: HPV MMR, Hep B, Hep A, Influenza, pneumococcal, Varicella, meningococcus	As Indicated: Hep B, Hep A, Pneumococcal and Influenza	As Indicated: Rhogam (28 weeks) **TDAP and other Immunizations per CDC recommendation	As Indicated: **TDAP and other Immunizations per CDC recommendations	As Indicated: Immunizations per CDC recommendations	As Indicated: Immunizations per CDC recommendations
Referral & Sources	As Indicated: Presumptive Eligibility, Local Department of Social Services, WIC, Specialty Care, Mental Health, Substance Abuse, Nutrition, Dental, Home Care, Case Management, Parenting Support					
References: ACOG/AAP Guidelines for Perinatal Care; 7th edition 2012 NYS Medicaid Prenatal Care Standards February 2010 *HIV guidelines for testing and management during pregnancy www.hivguidelines.org **Updated Immunization recommendations see: www.cdc.gov/ ***Screening, Brief Intervention, and Referral to Treatment https://www.samhsa.gov/sbirt						